

Fault Tracing Techniques for Mechanical Equipment: A Systematic Review

Wenhao Zhang,¹ Hui Yu,^{1,2} Jianbin Wang,¹ Xuan Lu,¹ and Xinzhe Zhong¹

¹College of Mechanical Engineering, University of South China, Hengyang 421001, China

²College of Aerospace Engineering, Chongqing University, Chongqing 400044, China

(Received 25 March 2026; Revised 30 April 2026; Accepted 08 May 2026; Published online 08 May 2026)

Abstract: Fault tracing, a crucial part of fault diagnosis, is very important in reducing unexpected downtime and enhancing the availability of mechanical equipment. A thorough comprehension of diverse fault tracing techniques and their inherent characteristics is essential for choosing the most appropriate methods efficiently and accurately. This paper presents a comprehensive overview of research on fault tracing in mechanical equipment, using the CiteSpace software. It delves into the general research status, tracing targets, methodologies, prevailing issues, and anticipated future challenges. The discussion revolves around two main tracing methods: data-based and knowledge-based. Each of these methods is introduced in detail, and comparisons are made of their respective pros and cons, as well as suitable application scenarios. Through a detailed review and summation presented in this paper, we strive to provide a systematic guide for implementing fault tracing techniques in industrial quality control. This endeavor is undertaken to offer practical insights for engineers seeking to bolster diagnostic systems, thereby improving the stability and quality of manufacturing processes.

Keywords: CiteSpace; data-based method; failure diagnosis; fault tracing; knowledge-based method

I. INTRODUCTION

Mechanical equipment, being indispensable in sectors such as transportation, manufacturing, and aerospace, has seen its intelligence and automation levels escalating continuously. As application scenarios broaden, deepen, and become more stringent, along with increasing production demands, the operational conditions of this equipment become increasingly intricate, and operating hours become more concentrated. Given the intricate nature and strong coupling characteristics of mechanical equipment, even minor system defects can trigger faults, which are inevitable throughout the mechanical products' lifespan.

As a vital step in fault diagnosis, fault tracing aims to locate the root cause of faults and then provide guidance for maintenance. However, the intricate structure of machines, multiple interconnected physical fields during operation, and high functional coupling among components pose significant challenges in swiftly and precisely tracing faults for machinery. Statistics reveal that, in the process of diagnosing mechanical equipment faults, the time dedicated to fault tracing exceeds 80% of the entire diagnostic procedure [1].

When mechanical equipment experiences a failure, it invariably leads to unplanned downtime, causing significant production disruptions, property losses, and potentially catastrophic events like personnel injuries or fatalities. According to research, the industrial manufacturing sector experiences annual losses amounting to a staggering \$50 billion due to such unexpected downtimes [2]. Furthermore, when equipment malfunctions, the inability to pinpoint the exact location and underlying cause of the failure hinders swift and effective repairs, leading to reduced equipment availability. Scientific fault tracing methods play a pivotal

role in accurately locating and diagnosing the causes of faults. This ensures smooth and orderly production processes while significantly reducing repair cycles, thereby enhancing the utilization rate of mechanical equipment. Moreover, these methods contribute to minimizing maintenance costs and mitigating the losses associated with the impaired safe and proper operation of mechanical equipment.

Although fault tracing in mechanical equipment holds significant theoretical and engineering application value, a comprehensive review of the existing literature in this field remains elusive. There are only a few review articles related to fault diagnosis and fault detection on similar topics. In this paper, we adopt a broad definition of fault diagnosis, treating it as an overarching process that encompasses the entire workflow from initial abnormal detection to root cause identification. Within this framework, fault detection and fault tracing constitute two essential and sequential stages. Fault detection is the first stage, usually focusing on real-time monitoring of equipment operation to confirm the presence of a fault in a timely manner. It serves primarily as the basis for fault warning and for initiating the subsequent diagnostic procedure, but it cannot reveal the specific nature or cause of the fault. Fault tracing is the subsequent stage, which builds on the information obtained through fault detection and the intermediate characterization of the fault (such as its mode and location). It goes beyond identifying fault symptoms and aims directly at locating and analyzing the root cause, with a particular emphasis on revealing the physical mechanism of fault occurrence. Through fault tracing, the root cause of equipment failure can be accurately identified, thus providing strong support for equipment repair and prevention. The relations among them can be concluded as Fig. 1 shows.

To offer a comprehensive grasp of the advancements in fault tracing for mechanical equipment, this paper initially

Corresponding author: Hui Yu (e-mail: vander_yu@163.com).




Fig. 1. Overview of fault tracing in mechanical equipment.

presents an overview of fault tracing in mechanical equipment based on CiteSpace. It proceeds to delve into the fundamental theories and methodologies pertaining to fault tracing in mechanical equipment, followed by a comparative analysis that highlights the strengths and weaknesses of diverse tracing methods. Finally, based on the current research landscape, it identifies the challenges and difficulties encountered in fault tracing for mechanical equipment and outlines potential avenues for future research. The contributions of the proposed work are included as below:

- 1) This review provides a comprehensive overview and in-depth analysis about fault tracing of mechanical systems based on CiteSpace.
- 2) It systematically introduces the basic overview and methods of fault tracing of general mechanical equipment and compares the merits and shortcomings of different approaches.
- 3) Based on the current research status, the hotspots and difficult challenges that may be faced in future mechanical equipment fault traceability are summarized for future research.

II. BASIC OVERVIEW OF FAULT TRACING IN MECHANICAL EQUIPMENT

To delve into the developmental trajectory of fault tracing in mechanical equipment, we conducted a visual analysis of the pertinent literature using CiteSpace software. The scope of our search encompassed the Web of Science Core Collection, focusing on articles published within the recent 18 years, from 2008 to 2025. The search query was specifically designed to capture articles discussing fault tracing and its related terminologies, encompassing

TS = (“failure trac*”) OR (“fault trac*”) OR (“fault root cause trac*”) OR (fault trac*) OR TS = (failure trac*). We narrowed our search to include only research papers and review papers, ensuring the relevance and quality of the retrieved documents. After carefully screening and eliminating any irrelevant literature, we ended up with a total of 288 relevant documents. These documents provide a rich and diverse dataset for our analysis, enabling us to gain insights into the evolving trends and patterns in fault tracing research for complex mechanical equipment. By employing CiteSpace’s visual analysis capabilities, we aim to gain a clear understanding of the key research themes, evolving trends, and collaborations within the field of fault tracing in complex mechanical equipment. This analysis will not only reveal the current state of the art but also identify potential gaps and future directions for research in this critical area.

Figure 2 displays a comprehensive co-occurrence network of keywords that reflects the key themes and relationships within the field of fault tracing in complex mechanical equipment. The size of each node is proportional to the frequency of keyword occurrences, indicating the significance and popularity of a particular term. The color of the connections between keywords represents the publication time of the associated literature, providing a temporal perspective on the development of these ideas. Keywords such as “Fault diagnosis,” “Order tracking,” “Signal,” “Fault detection,” “Vibration,” “Empirical mode decomposition (EMD),” “Feature extraction,” “Model,” and “Rolling element bearings” stand out as having higher frequencies, indicating their central role in the field. These terms not only reflect the core activities and techniques involved in fault tracing but also highlight the focus areas of current research. Connecting these keywords, it becomes apparent that the typical process for fault tracing involves signal acquisition, feature extraction, and tracking or modeling to achieve traceability. This process involves

Table I. Keyword clustering metrics information table

| Group number | Clustering themes | Related keywords |
|--------------|-------------------------|---|
| 1 | Bearing fault diagnosis | Decomposition; tracking; transform; generalized demodulation; planetary gearbox |
| 2 | Order tracking | Neural network; wavelet; empirical mode decomposition; identification; classification |
| 3 | Dynamic modeling | Vibration analysis; speed; system; rolling element bearing; faults |
| 4 | Remaining useful life | Model; optimization; deep learning; prediction |

relationships between faults and their underlying causes is crucial for effective fault management and prevention.

Figure 4 shows the timeline of literature co-citations, highlighting the main clusters such as #0 bearing fault diagnosis, #4 remaining useful life, #5 condition monitoring, and #6 vold-kalman filter, which have consistently produced publications since 2010. These clusters include many highly respected articles, indicated by their large node diameters. Notably, the most recent literature has made many connections with these four key clusters, showing that there is a strong research focus that is closely linked to these areas. Furthermore, the second-largest cluster, #2 feature extraction, exhibits an earlier publication timeline, averaging around 2010. This important phase of feature extraction includes numerous valuable articles, serving as the cornerstone for subsequent noteworthy advancements in the realm of mechanical fault tracing.

To delve deeper into the intricate collaborative relationships among authors within this domain and illustrate the micro-level structure of the academic community, we constructed an author collaboration network. Our analysis focused on authors who have published a significant amount of work and made notable recent achievements, as shown in Fig. 5. Notably, 237 authors in this field have formed 263 partnerships, with the most productive authors and their collaborators grouping into four relatively expansive subnetworks. Prominent authors such as Peng Zhike from Ningxia University (previously affiliated with Shanghai Jiao Tong University until 2022), Wang Dong from Shanghai Jiao Tong University, Chen Shiqian from Southwest Jiaotong University, and Liang Ming from the

University of Ottawa stand out for their high publication frequency and profound research outputs. Collaborative networks encompassing authors like He Qingbo from Shanghai Jiao Tong University, Peng Zhongxiao, and Borghesani, Pietro from the University of New South Wales, Yan Tongtong from Shanghai Jiao Tong University, Wang Yi from Chongqing University, Chen Shiqian from Southwest Jiaotong University, and Chen Xuefeng from Xi'an Jiaotong University have yielded numerous novel outcomes in recent years. Additionally, collaborative efforts involving authors such as Randall, Robert B from the University of New South Wales, Liang Ming from the University of Ottawa, Cao Hongrui from Xi'an Jiaotong University, Guo Yu from Kunming University of Science and Technology, and Zhang Wenming from Shanghai Jiao Tong University have also generated abundant research outputs, although with fewer recent breakthroughs in this field. Table II presents a list of authors who have published the most in this domain. Their research has exerted a significant impact, and their methodologies and perspectives deserve careful consideration, serving as invaluable references for future research.

The exploration of international cooperation and collaboration among research institutions in the fault tracing domain has indeed revealed interesting patterns. Through the analysis of cooperation networks between countries or regions and research institutions, we have gained valuable insights. As Fig. 6 illustrates, the engagement of 43 countries or regions in fault tracing research is quite extensive, with 53 collaboration connections established. Among the top 12 countries or regions ranked by publication volume,




Fig. 4. Timeline of co-citation network clustering.




Fig. 5. Network of author collaboration.

Table II. Publications and cooperation information of the main authors

| Number of articles issued | Authors | Institutions | Number of cooperations |
|---------------------------|-------------------|--|------------------------|
| 10 | Peng Zhike | Ningxia University | 8 |
| 8 | Chen Shiqian | Southwest Jiaotong University | 8 |
| 8 | Wang Dong | Shanghai Jiao Tong University | 8 |
| 7 | Liang Ming | University of Ottawa | 7 |
| 7 | Antoni jerome | University of Lyon | 8 |
| 5 | Guo Yu | Kunming University of Science & Technology | 4 |
| 4 | Wang Yi | Chongqing University | 4 |
| 4 | Peng Zhongxiao | The University of New South Wales | 5 |
| 4 | Borghesani Pietro | The University of New South Wales | 4 |
| 4 | Chen Xuefeng | Xi'an Jiaotong University | 6 |
| 4 | Yan Tongtong | Shanghai Jiao Tong University | 5 |
| 4 | Randall Robert B | The University of New South Wales | 4 |

China (Mainland) stands out as the most collaborative, with ties to 9 countries or regions. This suggests that China (Mainland) is not only a prolific producer of research in this field but also an important partner in promoting international collaborations. In contrast, the Taiwan (China) region appears to have a more limited collaboration scope, exclusively collaborating with China (Mainland). This could be due to various factors, including geographical proximity, cultural similarities, or policy considerations. India, on the other hand, lacks collaboration with other countries, which might indicate a need for greater outreach and engagement in international research partnerships. Australia, Italy, and other countries have demonstrated a broad collaboration scope, with seven countries or regions, indicating their active participation in international research networks, as demonstrated in Table III. This breadth of collaboration is likely to enhance their research capabilities and impact in the fault tracing domain. Furthermore, the emergence of three distinct subnetworks centered on China (Mainland),

Australia, and England is noteworthy. These subnetworks represent clusters of collaboration that are likely to drive innovation and knowledge exchange in the field. The subnetwork with China (Mainland) at its core includes countries like France, the United States, Germany, and Canada, indicating its status as a hub for international research collaboration. The observations highlighted in this analysis not only underscore the leading position of China (Mainland) in collaborative research but also reveal the varying degrees of collaboration among different countries and regions. These insights can inform future strategies for enhancing international cooperation and collaboration in the fault tracing domain, leading to more impactful and innovative research outcomes.

To delve deeper into the realm of international cooperation and collaboration among research institutions in the fault tracing domain, Fig. 7 offers a comprehensive collaboration network among 250 institutions, generating 209 collaboration connections. Prominent institutions such as




Fig. 6. Network of national cooperation.

Table III. Cooperation among the top 12 countries or regions and research institutions

| Number of articles issued | Countries or regions | Number of cooperating countries | Number of articles issued | Institutions | Number of cooperating institutions |
|---------------------------|----------------------|---------------------------------|---------------------------|--|------------------------------------|
| 155 | China (Mainland) | 9 | 19 | Xi'an Jiaotong University | 15 |
| 27 | Canada | 3 | 18 | Shanghai Jiao Tong University | 11 |
| 19 | England | 5 | 13 | University of New South Wales | 9 |
| 17 | Australia | 7 | 12 | Southwest Jiaotong University | 10 |
| 15 | France | 5 | 9 | Indian Institute of Technology | 3 |
| 14 | USA | 5 | 9 | Chongqing University | 7 |
| 12 | India | 0 | 8 | University of Alberta | 2 |
| 11 | Italy | 7 | 8 | Beijing Jiaotong University | 4 |
| 9 | Korea | 2 | 7 | National Institute of Applied Sciences, Lyon | 5 |
| 7 | Taiwan(China) | 1 | 7 | University of Ottawa | 5 |
| 6 | Belgium | 7 | 6 | Kunming University of Science & Technology | 3 |
| 6 | Spain | 5 | 6 | Loughborough University | 4 |

Xi'an Jiaotong University, Shanghai Jiao Tong University, Southwest Jiaotong University, and the University of New South Wales stand out as the most collaborative among the top 12 by publication volume. While the University of Alberta maintains a degree of research independence, it has nonetheless achieved noteworthy outcomes, as highlighted in Table III. This institutional collaboration network not only highlights the top research institutions in this field but also explains their intricate working relationships. Two distinct subnetworks emerge: one centered on Xi'an Jiaotong University, encompassing other top institutions like Shanghai Jiao Tong University and Chongqing University; and another independent network led by the Indian Institute of Technology and its collaborating partners. These institutions have consistently published literature in recent years, solidifying their leading and influential positions within this domain.

III. FAULT TRACING OBJECTS IN MECHANICAL EQUIPMENT

Table IV comprehensively outlines the objects and methods employed in fault tracing for complex mechanical equipment. Evidently, the scope of research in this domain is extensive, with a particular emphasis on aerospace, power generation, and other vital industries, where CNC machining holds a prominent position. Although fault tracing research now covers various areas and types of equipment important for the country's economy and defense, most of the work still concentrates on single parts of machinery. To achieve comprehensive fault tracing for entire complex mechanical systems, further research is imperative, rendering it a crucial area for future exploration.



Fig. 7. Network of research institution cooperation.

Table IV. Objects and methods for fault tracing of complex mechanical equipment

| Industry categories | Research objects | Research methods and models |
|-----------------------------------|---|---|
| Aviation and aerospace | Generators [3,4], drones [5], aircraft power systems [6], engine lubrication systems [7] | Symbolic directed graphs for cloud models [3], knowledge graph [5,6,8–10], fault color map [4], Jaccard correlation coefficient method, and neural network [7] |
| Power generation industry | Power equipment [11–13], wind turbine units [14], nuclear main pumps [15], power dispatch systems [16], metering devices [17], thermal power plant [18] | Petri nets [11,12], neural network models [13], BP neural networks [14], probability model algorithms [15], information difference graph models [16], deep information network models [17], principal component analysis model [18] |
| Automobile | Engines[10], motor bearings [19] | Neural network [10], digital twin [19] |
| Railway and marine transportation | High-speed trains [8,20], marine engines [9], cargo ships [21] | Granger and fault propagation models [20], graph neural networks [9], probability density estimation multivariable causality models [21] |
| CNC machining | CNC rotary tables [22], hydraulic systems [23], CNC lathes [24–26] | Bayesian network models [22], fault tree analysis [23,27], layered fault propagation directed graphs [24], fault propagation structure model [26] |
| Metallurgical industry | Metallurgy equipment [28], asynchronous motors [29] | Causal effect estimation learning models [28], deep bidirectional long short-term memory network [29] |
| Weaponry and equipment | Launch vehicles [30], loading machines [30], missiles [31], tank planetary gearboxes [32] | Fault trees [30], Petri nets [30], Bayesian networks [22,31], variational mode decomposition and scattered entropy [32] |
| General components | Roller bearings [33,34], parallel axis gears [35], planetary gear reducer [24] | K-means clustering algorithms [33], visual graph amplitude entropy [34], in situ measurement analysis methods and kurtosis algorithms [35], binary decision diagrams [24] |

IV. FAULT TRACING METHODS IN MECHANICAL EQUIPMENT

The precision and effectiveness of fault tracing in mechanical equipment largely hinge on the methodologies employed for the purpose. The current methods employed in fault tracing can be broadly classified into two categories: data-based and knowledge-based. Data-based approaches hinge on real-time monitoring and a thorough analysis of

historical data, whereas knowledge-based techniques rely heavily on the expertise and experience of domain experts. In practical applications, the selection of an appropriate fault tracing method depends on various factors, including the intricacy of the issue, the availability and quality of data, as well as the accessibility of domain experts. An integrated approach, integrating both data-based and knowledge-based techniques, often yields the most comprehensive and efficient tracing of potential fault origins in mechanical equipment.

A. DATA-BASED FAULT TRACING METHODS

Data-based fault tracing methods explore the causal relationships embedded in the operational data generated by mechanical equipment. The procedure begins with acquiring monitoring data, followed by preprocessing steps such as denoising, resampling, and normalization. Relevant features are then extracted from the time, frequency, and time-frequency domains to capture fault signatures. Core causal inference techniques such as transfer entropy (TE) and Granger causality (GC) are applied to quantify the information flow or causal strength between variables. Based on these pairwise causal relationships, a causal network or directed propagation graph is constructed. The root cause is then obtained by tracing backward from the detected fault node to the node with no incoming causal links. The overall procedure is illustrated in Fig. 8.

The main advantage of data-based methods lies in their flexibility and convenience. They neither rely on comprehensive expert knowledge nor require the construction of physical models, which has earned them widespread recognition in industry. Lucke *et al.* [36] conducted a rigorous classification of data-driven fault tracing techniques. Based on the employed root cause analysis (RCA) strategies, they categorized these methods into four distinct types: univariate methods, time delay estimation methods, time-domain prediction methods, and frequency-domain prediction methods.

Univariate methods presume that the characteristics of any process variable vary in accordance with its proximity to the corresponding root variable and process variable. Consequently, this attribute is leveraged to arrange the distances between the root and process variables in a distinct order. The Nonlinearity Index (NLI) stands as one of the more straightforward univariate tracing techniques, solely requiring the assessment of the nonlinearity degree of a single variable to ascertain the proximity to the fault source. The greater the distance from the fault source, the lesser the nonlinearity degree exhibited by the univariate. Uddin *et al.* [37] introduced a NLI to quantify the nonlinear characteristics of control systems, thereby validating the reliability of this approach. Tapioca *et al.* [38] established the theory of nonlinearity indices, serving as a metric for comprehending and quantifying the nonlinearity of aircraft under specific operational conditions, successfully implementing it in a nonlinear pitch-yaw aircraft model. Maroua *et al.* [39] proposed a method using univariate statistical control charts to detect and diagnose crack faults in bevel gears by analyzing vibration signals. The results demonstrated that the proposed method was highly effective, as it quickly identified all different crack lengths at an early stage.

Delay estimation methods leverage the temporal lags of process variables to determine the sequence of faults, thereby interpreting the root causes of malfunctions. Among the commonly utilized techniques for delay estimation and tracing are the cross-correlation function (CCF)

[40–42], Dynamic Time Warping Causality Index (DCI) [44], and K-Nearest Neighbors (KNN) [45]. Wang *et al.* [40] studied the compound faults of rolling bearing based on the CCF of envelope signal of vibration signals and 1D local binary pattern. Yu *et al.* [41] proposed a comprehensive approach that integrates information fusion, wavelet transform, singular value decomposition (SVD), and CCFs. This method efficiently extracts composite fault features from inter-shaft bearings, accurately identifying fault types based on comprehensive gearbox vibration signals. Yang [44] developed a dynamic delay analysis approach that enables the statistical examination of temporal lags in process variables, achieving dynamic delay acquisition through historical data analysis. Joshua *et al.* [45] employed KNN for feature classification in wind turbine blades, achieving noteworthy results in discriminating various blade fault conditions.

Time-domain-based prediction methods predict the occurrence of future phenomena in a time series based on the analysis of past phenomena in another time series, thereby establishing causal relationships. Depending on the definition of predictability within the time series, various prediction techniques are employed, including TE [47–49], GC [50–52], and convergent cross-mapping (CCM) [53–56]. Lindner *et al.* [47] examined the oscillatory fault tracing problem, comparing the strengths and weaknesses of TE causality analysis and GC. Wang *et al.* [49] used an improved symbolic TE method to construct a directed-weighted information network, tracing fault propagation pathways by quantifying the information flow among system nodes. By quantifying metrics such as tracing accuracy, they laid the foundation for enhancing tracing efficiency. Huang *et al.* [50] proposed a nonlinear multivariate Lasso Granger method for fault propagation analysis in manufacturing processes. Chen *et al.* [51] developed a multivariate GC analysis method that improved GC's handling of nonlinear problems and enhanced its capacity to analyze multiple oscillation sources. Tian *et al.* [53] introduced a causal inference network grounded in the CCM method, enabling the tracing and analysis of nonlinear industrial processes. Scholars have widely applied the CCM method to intricate industrial sectors. Cheng *et al.* [54] addressing anomalies in chemical plant equipment proposed a CCM method incorporating temporal characteristics and a dimension selection approach based on the Akaike Information Criterion. Zhao *et al.* [55] proposed a tracing method for complex industrial processes centered on a single model. This method utilizes an improved CCM approach to eliminate disturbances, accurately distinguishing relative causal changes between normal and fault states. This addresses the redundancy associated with fault diagnosis modeling and significantly reduces the complexity of fault tracing.

In contrast to time-domain analysis, which necessitates the examination of the entire power spectrum of the target object, frequency-domain analysis specifically concentrates on distinct frequencies during the operational process of the predictive object. Wang *et al.* [57] proposed a hybrid fault




Fig. 8. Procedure of data-based fault tracing methods.

diagnosis method for high-speed wire rod finishing mills that integrates expert experience with data-driven techniques, utilizing improved frequency-domain analysis for feature extraction. Xv *et al.* [60] proposed a novel blind fault separation and extraction technique for detecting bearing faults without prior knowledge. The method combines a 1/3-binary tree filter strategy and squared envelope spectrum autocorrelation to blindly estimate fault frequencies. Zhang *et al.* [61] developed a ground-based fault detection method for wind turbine planet bearings by analyzing modulation sidebands and demodulation spectra in generator current signals, successfully identifying outer race, inner race, and rolling element faults. Addressing the perennial challenge of measurement deviation or drift in sensors after prolonged usage, Li *et al.* [62] harnessed the power of neural networks to delve into the frequency-domain feature data of individual sensor signals. They proposed an innovative artificial intelligence diagnostic method, grounded in wavelet neural networks, and successfully applied it to sensor fault diagnosis in multi-sensor systems.

Table V presents comparisons of the primary current data-based methods of fault tracing for mechanical equipment.

B. KNOWLEDGE-BASED FAULT TRACING METHODS

Knowledge-based fault tracing methods capture the causal relationships between process variables or events through causal diagrams or expert insights. Based on this, a causal reasoning framework is then constructed to trace the root

cause of a malfunction. The process begins with the offline construction of a system knowledge model, such as a fault tree or a signed directed graph (SDG). This model encodes the causal structure of the system using expert experience and historical failure records. When a fault is detected and its symptom (type, location, and severity) is recognized, this information is fed into the model. Reasoning is then performed, either forward to predict possible consequences or backward to search for underlying causes. The predefined causal chains are traversed to match the observed symptom and produce a root cause hypothesis. This hypothesis is then checked against available data or expert judgment to confirm its validity. Once verified, the root cause is determined. The overall procedure is illustrated in Fig. 9.

Depending on the nature of the fault tracing subject, these techniques can be divided into two categories, those targeting fault events and those targeting fault variables. The former applies to systems with a clear sequence of events and causal relationships, while the latter is more suitable for monitoring and diagnosing faulty variables in complex systems and equipment. Methods focused on fault events include fault tree analysis (FTA) [65–75], failure mode and effects analysis (FMEA) [76–80], Petri net (PN) [81,82], etc. [83,84]. Methods aimed at fault variables include SDG [85–88], multi-flow modeling (MFM) [89–91], etc.

1). FAULT TRACING METHODS FOR FAULT EVENTS.

Fault tracing for fault events mainly focuses on tracing and analyzing the fault event itself and its occurrence process and determining the root cause of the fault by establishing the logical relationship and time sequence between the events. This method is applicable to systems with a clear

Table V. Comparisons of data-based fault tracing methods

| Categories | Criteria | Methods | Advantages | Disadvantages | Adapted scenarios |
|------------------------------------|--------------------------------------|---|---|--|---|
| Univariate method | Single variable | Nonlinearity index [37–39] | Capture complex nonlinear relationships | Complex calculations; weak interpretability | Faults are well characterized and easy to identify from a single variable |
| Delay estimation method | Time delay between signals | Cross-correlation function [40–43] | Easy to use and suitable for delayed analysis | Only for linear relationships | Fault propagation with a significant time delay |
| | | Dynamic Time Warping Causality Index [44] | For data with inconsistent lengths | Complex calculations; affected by noise | |
| | | K-Nearest Neighbors [45,46] | Adaptable without assuming data distribution | Noise-sensitive; computationally inefficient | |
| Time-domain prediction method | Time series data | Transfer entropy [47,49] | Adaptation to non-stationary data | Large amounts of data are required | Fault is preceded by a significant time trend or periodicity |
| | | Granger causality [50–52] | Applicable to linear models | Captures only linear relationships; high smoothness requirements | |
| | | Convergent cross-mapping [53–56] | Ability to detect nonlinear causality | High data quality requirements | |
| Frequency-domain prediction method | Frequency characteristics of signals | Spectrum analysis [57–59] | Intuitive and fast calculation speed | Unable to handle a non-stationary signal | Fault is clearly characterized in the frequency domain |
| | | Envelope spectrum analysis [60,61] | Sensitive to early failures | Parameter selection requires experience | |
| | | Wavelet transform [62–64] | Suitable for a non-stationary signal | Complex calculations | |




Fig. 9. Procedure of knowledge-based fault tracing methods.

sequence of events and cause-and-effect relationships, such as mechanical systems and electromechanical systems. FTA employs deductive reasoning, considering fault events as the focal points of analysis. It systematically delves into the potential causes of faults by tracing the causal logic relationships from the topmost level down. Chen *et al.* [23] applied FTA with interval rough number scoring and Dempster–Shafer theory to evaluate the possible failure cause in hydraulic systems of CNC machine tools. Aiming at the challenges of failure data scarcity and complex causal relationships of maritime autonomous surface ships, Li *et al.* [65] developed a hybrid method of combining FTA and fuzzy Bayesian network to conduct the collision risk assessment. Luo *et al.* [66] conducted concurrent FMEA and FTA analyses on the feed system of a CNC machine tool, identifying crucial factors contributing to system faults and offering practical improvement suggestions. Long *et al.* [67] proposed an interpretable fault diagnosis model for aerospace equipment by integrating fuzzy fault tree analysis (FFTA) and an interval belief rule base. Zhou *et al.* [68] used interval models to represent the failure probabilities of each component, developing a system reliability analysis method grounded in FTA. Chen *et al.* [69] further enhanced the fault warning capabilities of CNC machine tools, introducing a standardized, comprehensive machine tool state monitoring approach that integrates energy considerations with FTA.

Given the significant uncertainty surrounding fault modes and causes in real-world complex mechanical equipment, scholars have introduced the fuzzy FTA method. Yin *et al.* [70] established the failure model of wind turbine gear transmission systems combining T-S fuzzy fault tree and Bayesian network. Guo *et al.* [71] further combined fuzzy mathematics, Markov models, and FTA frameworks to develop a dynamic FTA method utilizing a fuzzy Markov model. Wang *et al.* [72] developed a fuzzy FTA model for multi-state system with common cause failure and demonstrated its effectiveness on an aircraft power system. Considering the lack of historical incident data of supply vessel collisions, Zong *et al.* [73] proposed a method for estimating the likelihood of supply vessel collision based on fuzzy FTA. Given the scarcity of component failure probabilities, Jiang *et al.* [74] proposed a method using the weakest n -dimensional t -criterion operation for fuzzy dynamic FTA, enabling the assessment of the system's fuzzy reliability.

Recognizing the limitations of FTA in tracing the root causes of mechanical equipment failures, scholars have increasingly turned to FMEA for effective traceability, either standalone or in combination. Xiao *et al.* [76] introduced an FMEA method that considers risk elements and expert weights, enhancing the assessment of critical meta-action failure mode risks. Zhong *et al.* [77] addressed the challenge of handling fuzzy information in expert descriptions by proposing a novel FMEA approach based on the Fermat fuzzy weighted multi-head mean operator. Huang *et al.* [78] integrated FMEA analysis results with a multi-colored matrix to construct a refined fault tree, facilitating

the deduction of complex equipment failure root causes. Guste *et al.* [79] found out the primary causes of die attach machines by FMEA. To realize the diagnosis of most concurrent faults for electric isolation valves, Ai *et al.* [80] established a fault inference model based on FMEA. Additionally, some scholars have employed PN for precise fault localization. Sun *et al.* [81] combined intuitionistic fuzzy sets with fuzzy PN to develop an intuitionistic fuzzy fault PN model, addressing the significant uncertainty in gas turbine failures. Niu *et al.* [82] proposed an enhanced fault PN model capable of reliable fault isolation and diagnosis in multi-axis speed sensors. Furthermore, Yu *et al.* [83] developed a fault tracing method by combining causal ordering theory with the Ishikawa diagram. Given that multiple sources of information can provide more comprehensive insights, a multi-source fusion method based on expert experience was proposed [84].

2). FAULT TRACING METHODS FOR FAULT VARIABLES. Fault tracing for fault variables mainly focuses on monitoring and analyzing fault variables in a system to determine the cause and location of faults by comparing the differences between the fault variables and the normal state. This approach relies on sensors and measurement devices to collect data on fault variables in real time and extract fault characteristics through data analysis algorithms. The SDG causal analysis approach utilizes graphical symbols to establish fault propagation pathways, with nodes representing variables and directed line segments depicting causality logic connections. This method offers a robust and adaptable framework for expressing diverse systems, thus facilitating its widespread application in fault tracing for a range of mechanical devices. However, for large systems with numerous components and intricate fault factors, employing a forward reasoning engine for SDG model reasoning can result in complexities when combining fault causes. To tackle this challenge, Wang *et al.* [85] introduced an enhanced SDG-based fault diagnostic approach for complex systems. Ma *et al.* [86] developed an expert knowledge modeling software based on the SDG method, which integrates threshold and quality trend analysis to effectively diagnose incipient faults and reveal propagation paths for pressurized water reactor. Zhang *et al.* [3] addressed fault source identification and fault propagation in aircraft engines by developing a multi-operating condition fault diagnosis method utilizing cloud model SDG. Wang *et al.* [87] proposed a digital twin-enhanced SDG method for autoclave fault diagnosis, which improves diagnosis speed and resolution by using the digital twin to reduce potential fault paths and simplify inferences. Liu *et al.* [88] enhanced the SDG method through the integration of qualitative trend assessment and granularity calculation algorithms, significantly enhancing decision-making speed in tracing multiple fault causations.

In comparison to the SDG method, MFM offers a distinct advantage in identifying crucial system components and fault propagation paths. Reinartz *et al.* [89] introduced a methodology that integrates MFM to automate the

Table VI. Comparison of knowledge-based fault tracing methods

| Categories | Criteria | Methods | Advantages | Disadvantages | Adapted scenarios |
|-----------------|---------------------------------------|---|--|---|--|
| Fault events | Fault process and chain of events | Fault tree analysis [65–75] | Clearly structured for easy identification of the cause of system failure | Difficult to handle dynamic systems; unable to capture concurrent failure | Fault events with clear causal relations |
| | | Failure mode and effects analysis [76–80] | Easy identification of high-risk components; easy modeling of system reliability | Highly subjective; difficult to apply to complex systems | |
| | | Petri net [81,82] | Ability to characterize the concurrency and dynamics of a system | Complex model construction; high computational resource requirements | |
| Fault variables | Fault-related variables or parameters | Signed directed graph [85–88] | Visual representation of cause and effect relationships | Only able to handle static relationships in the system; difficult to deal with complex interactions | Familiar with fault mechanism |
| | | Multi-flow modeling [89–91] | Hierarchical and suitable for distributed analysis of multilevel systems | Data-dependent; complex to model | |

generation of causal reasoning models. This approach is particularly effective in domains such as nuclear equipment, where it can create SDG diagrams automatically, significantly improving the accuracy of fault tracing. Peng *et al.* [90] proposed an integrated fault diagnosis method that combines principal component analysis and an MFM to enhance the accuracy and reliability of online fault diagnosis in nuclear power plants. Lin *et al.* [91] developed a model based on a multi-layer stochastic flow network to analyze failure propagation in high-speed train systems, incorporating load redistribution strategies to predict fault paths.

Knowledge-based methods exhibit distinct value and pose specific challenges during the modeling process of intricate mechanical equipment. The core of this method is rooted in articulating causal associations through meticulous knowledge manipulation and fashioning computer-recognizable and retrievable frameworks [92], such as symbolic directed graphs and rule-based models [93]. These models are good at summarizing specific operational experiences and profound insights inherent in complex equipment processes, ultimately offering a comprehensive comprehension of system behavior patterns. Nevertheless, compared to data-driven fault tracing techniques, knowledge-based approaches rely heavily on the precision of mechanical models and the completeness of rules made by experts.

Table VI presents comparisons of the primary current knowledge-based methods of fault tracing for mechanical equipment.

V. HOTSPOTS AND CHALLENGES IN FAULT TRACING OF MECHANICAL EQUIPMENT

A. HOTSPOTS IN FAULT TRACING OF MECHANICAL EQUIPMENT

Based on the comprehensive analysis provided, it is apparent that considerable experience and results have been gained in the ongoing research on fault tracing in mechanical equipment. In terms of the object of traceability, the

research primarily concentrates on the key parts or components of mechanical equipment that are susceptible to failure, particularly bearings, gears, and simple rotor systems. Regarding the methods of fault tracing, enterprise technicians widely adopt classical methods such as FTA and FMEA, owing to their advantages of ease of operation and strong practical applicability.

In recent years, with the development of interchangeable networks, internet of things, and other technologies, the monitoring and processing capacity of mechanical equipment operation data has been greatly improved. Artificial intelligence traceability methods based on data such as mechanical learning and deep learning are highly sought after and have become a hotspot in the current fault tracing research. At the same time, it is also the field with the most achievements in fault tracing and even fault diagnosis-related research in the past five years. The related research mainly focuses on the optimization of fault data feature construction and prediction model.

Although deep learning methods can extract fault feature information from massive data for traceability, the interpretability of such methods is weak. On the other hand, as an important technology in the field of artificial intelligence, knowledge graph can display the reasoning and decision-making process through visualization methods. With the successful application of knowledge graph in search engines, knowledge graph-based fault tracing methods have gradually become an emerging point for fault tracing.

B. CHALLENGES IN FAULT TRACING OF MECHANICAL EQUIPMENT

Despite significant advancements in current fault tracing research, it still encounters several challenges when dealing with complex mechanical equipment faults:

- (1) The current fault tracing objects are mostly components or simple mechanical systems, and there is less research on fault tracing for the whole machine or complex systems. In mechanical systems, the interaction between components is the root cause of failure. Compared with mechanical components, the whole machine of mechanical equipment consists

- of many subsystems, and there is a more complex coupling between the components. The system presents a multilevel, highly sublinear characteristics. When tracing the fault of the whole machine, it is necessary to establish the interaction and dependence model between the various levels of the system. By employing techniques such as decoupling or dimensionality reduction, among others, researchers can systematically map the failure mode from the functional appearance of the entire machine down to the interactions between its components and parts. This layered approach helps find the root cause of the fault.
- (2) Current research on mechanical product faults primarily focuses on inference methods, while neglecting the modeling technology associated with fault tracing. As is well known, fault tracing primarily involves two core aspects: the establishment of a traceability network and the inference of traceability methods based on this network. Among these, the establishment of fault tracing network serves as the foundation for fault tracing. The accuracy of the network model has a direct impact on the accuracy and efficiency of the fault tracing. Existing fault tracing networks are primarily constructed based on empirical methods, and the process involves numerous subjective factors, which can readily result the omission of potential causal relationships. For newly developed products, due to the lack of experience, such methods are even helpless. Therefore, there is a need to develop traceability methods with low dependence on experience. The mapping model between product failure modes and potential causes can be established based on the sufficient conditions for the achieving mechanical equipment functions and performances. On this basis, a fault traceability network can be constructed utilizing the mapping method to prevent the omission of potential failure causes.
 - (3) Currently, fault tracing is based on subjective information such as expert experience or using objective information such as sensor monitoring data and fault records to build inference models. There are few comprehensive reasoning methods that consider both subjective and objective information. As a matter of fact, the information about the causes of mechanical equipment failures is usually scattered in the surrounding environment in multiple channels and forms, and each type of information reflects a certain side of the failure. The reasoning method of integrating multi-source failure cause information helps to understand the root cause of failure from multiple aspects. It can make up for the lack of one-sided information from a single channel and thus improve the accuracy of the traceability results. For example, knowledge graphs can be used to visualize the relations between expert knowledge and operation data to help identifying failure modes and causes. To enhance the credibility of diagnoses derived from analyzing monitoring signals with machine learning, expert feedback can be integrated to refine and adjust the model. Another scenario involves using mathematical models, built upon expert knowledge, to describe the normal operating state of the system and to identify potential faults by comparing actual signals with model predictions.
 - (4) In terms of changes in operating conditions, existing fault traceability methods tend to rely too heavily on static models or preset conditions. Many fault traceability analyses tend to look for the cause of failures under a single or static condition, ignoring the complexity of the impact of changing operating conditions on the equipment as a whole. A change in operating conditions may not cause an immediate failure, but it can have a cumulative effect in the system. Traditional traceability analyses often fail to identify these hidden risks that gradually accumulate, which in turn leads to inaccurate analysis results. A cumulative damage model should be established to consider the long-term effects of different operating conditions on equipment performance. By analyzing historical operating data, the fatigue and wear patterns of equipment under frequently changing conditions can be identified, thus enhancing the generalization ability of the traceability model.
 - (5) Multi-stage mechanical systems involve the collaborative operation of multiple subsystems, and failures or abnormal behavior in one subsystem may be transmitted to other subsystems through these coupling relationships, leading to system-level failures. However, traditional fault traceability analyses often focus excessively on individual components and ignore the complexity of the system as a unified entity. In multilevel systems, faults may propagate between subsystems in a nonlinear manner with complex propagation paths. The lack of a systematic understanding of the synergistic operation of multilevel systems makes it difficult to analyze fault propagation in depth, leading to difficulties in accurately locating the source of faults. A comprehensive systems engineering approach should be adopted to analyze the interactive effects in the multilevel mechanical system and identify the coupling points between the subsystems and their effects on fault propagation. The collaborative operation of the subsystems should be taken as the focus of the analysis, and the interaction and feedback mechanism between the systems should be emphasized.

VI. CONCLUSIONS

This paper presents a comprehensive overview of the development of fault tracing in mechanical equipment, utilizing CiteSpace as a foundational tool. It introduces the landscape of fault tracing within mechanical equipment and systematically delineates the prevalent approaches employed in this field. Additionally, the paper outlines the applicable scenarios for these techniques based on their properties. According to the current research status, tracing faults in complex, multi-stage mechanical systems and systems with variable operational conditions poses significant challenges. Potential solutions may lie in the adoption of multi-source information fusion and system engineering methods. Besides, reliable causality modeling techniques are also worthy of investigation.

CONFLICT OF INTEREST STATEMENT

The authors declare no conflicts of interest.

COMPETING INTERESTS

The authors declare that they have no competing interests.

FUNDING

This work was supported by the Scientific Research Foundation of Hunan Provincial Education Department (No. 23B0445) and the Hunan Provincial Natural Science Foundation (No. 2024JJ6384).

REFERENCES

- [1] G. Wang *et al.*, “Basic research on machinery fault diagnosis—What is the prescription,” *J. Mech. Eng.*, vol. 49, no. 1, pp. 63–72, 2013.
- [2] M. Yao *et al.*, “Research and application of intelligent maintenance system for press line based on digital twin technology,” *Manuf. Technol. Mach. Tool*, no. 4, pp. 21–27, 2023.
- [3] Z. Zhang, R. He, and J. Zhang, “Multi-condition fault diagnosis method of aeroengine based on cloud model SDG,” *Aeroengine*, vol. 48, no. 6, pp. 42–48, 2022.
- [4] D. Du, X. Jia, and Z. Wang, “Fault model identification method for aero engines based on fault color picture,” *Comput. Integr. Manuf. Syst.*, vol. 24, no. 9, pp. 2297–2305, 2018.
- [5] L. Qiu *et al.*, “An application method of knowledge graph construction for UAV fault diagnosis,” *Comput. Eng. Appl.*, vol. 59, no. 9, pp. 280–288, 2023.
- [6] N. Tongpan *et al.*, “Knowledge graph construction technology and its application in aircraft power system fault diagnosis,” *Acta Aeronaut. Astronaut. Sin.*, vol. 43, no. 8, pp. 40–56, 2022.
- [7] C. Wu *et al.*, “Construction and application of fault knowledge graph for aero-engine lubrication system,” *J. Beijing Univ. Aeronaut. Astronaut.*, vol. 50, no. 4, pp. 1336–1346, 2024.
- [8] H. Guo *et al.*, “Construction of knowledge graph of maintainability design based on multi-domain fusion of high-speed trains,” *China Mech. Eng.*, vol. 33, no. 24, pp. 3015–3023, 2022.
- [9] G. Chen *et al.*, “Risk analysis method of a certain type of power plant based on KG-KGCN,” *J. Aerosp. Power*, vol. 38, no. 10, pp. 2516–2526, 2023.
- [10] Y. Yin, X. Wang, and C. Xu, “Engine fault prediction method integrating knowledge graph and multivariate neural network,” *Mech. Sci. Technol. for Aerosp. Eng.*, vol. 42, no. 12, pp. 2055–2063, 2023.
- [11] A. S. Kahnemouei and S. Lotfifard, “Distribution systems fault location identification using mixed datasets,” *IEEE Trans. Power Deliv.*, vol. 40, no. 2, pp. 951–964, 2025.
- [12] Z. Jiang, H. Wang, and W. Wang, “A petri net strategy for fault diagnosis and location in power distribution systems to prevent local power shortages,” *IEEE Access*, vol. 12, pp. 161038–161053, 2025.
- [13] J. Yin and X. Shen, “Automatic source tracing method for power equipment faults based on reinforcement learning,” *Autom. Appl.*, no. 10, pp. 49–51, 2022.
- [14] Y. Wang, Y. Zhu, and Y. Tang, “Intelligent fault source identification method for high-voltage trip-off of wind turbines considering transient waveform characteristics,” *Electr. Power Autom. Equip.*, vol. 43, no. 3, pp. 101–109, 2023.
- [15] X. Wen *et al.*, “Abnormality attribution method and verification for mechanical seal of reactor coolant pump,” *Atomic Energy Sci. Technol.*, vol. 56, pp. 179–188, 2022.
- [16] X. Gao *et al.*, “Component fault tracing of power dispatching automation system based on information difference graph model,” *Power Syst. Technol.*, vol. 45, no. 12, pp. 4808–4817, 2021.
- [17] N. Li *et al.*, “Fault traceability of metering device based on deep belief network,” *Smart Power*, vol. 48, no. 7, pp. 118–124, 2020.
- [18] M. Cui *et al.*, “Optimal sparse principal component analysis with a varying regularization coefficient for industrial fault diagnosis,” *IEEE Trans. Instrum. Meas.*, vol. 75, p. 3506413, 2025.
- [19] X. Zhang *et al.*, “Fault diagnosis of vehicle motor-bearings under safe running by digital-twin technology,” *J. Automot. Saf. Energy*, vol. 14, no. 2, pp. 232–238, 2023.
- [20] J. Yin *et al.*, “Fault tracing method based on fault propagation and causality with its application to the traction drive control system,” *Acta Autom. Sin.*, vol. 46, no. 1, pp. 47–57, 2020.
- [21] X. Chen, Y. Yang, and J. Wang, “Plant-wide processes monitoring and fault tracing based on causal graphical model,” *IET Control Theory Appl.*, vol. 18, pp. 2322–2334, 2024.
- [22] P. Ju *et al.*, “Method of fault root causes tracing analysis for electro-mechanical products based on action unit,” *J. Hunan Univ. (Nat. Sci.)*, vol. 47, no. 2, pp. 60–66, 2020.
- [23] H. Chen *et al.*, “Evidence-based fault tree analysis of the hydraulic system in CNC machine tools,” *Qual. Reliab. Eng. Int.*, vol. 40, no. 6, pp. 3141–3160, 2024.
- [24] Y. Zhang, J. Liu, and G. Shen, “Failure propagation mechanism analysis of CNC lathe,” *J. Harbin Inst. Technol.*, vol. 50, no. 07, pp. 131–136, 2018.
- [25] Y. Zhang, G. Guo, and J. Liu, “Fault root cause tracking of the mechanical components of CNC lathes based on information transmission,” *Sensors*, vol. 23, no. 9, p. 4418, 2023.
- [26] L. Luan *et al.*, “Identification of key components of CNC Lathe based on dynamic influence of fault propagation,” *Appl. Sci. Basel*, vol. 12, no. 12, p. 6187, 2022.
- [27] G. Li *et al.*, “FTA analysis method of mechanical and electrical products based on meta-action,” *Modular Mach. Tool Autom. Manuf. Technol.*, no. 2, pp. 187–192, 2023.
- [28] B. Zhou *et al.*, “Causal knowledge modeling for root cause analysis of equipment spot-inspection failure,” *Comput. Integr. Manuf. Syst.*, vol. 19, no. 8, pp. 2708–2721, 2023.
- [29] B. Xu *et al.*, “Fault diagnosis in asynchronous motors based on an optimal deep bidirectional long short-term memory networks,” *Meas. Sci. Technol.*, vol. 34, no. 12, p. 125909, 2023.
- [30] H. Peng *et al.*, “Design of diagnostic expert system for launch vehicles based on FTA,” *Control Eng. China*, vol. 26, no. 3, pp. 584–588, 2019.
- [31] Y. He *et al.*, “Research on Bayesian Network for fault diagnosis of tactical missile using netica,” *Aero Weaponry*, vol. 27, no. 1, pp. 89–95, 2020.
- [32] S. Wu *et al.*, “Research on fault diagnosis method of tank planetary gearbox based on VMD-DE,” *J. Vib. Shock*, vol. 39, no. 10, pp. 170–179, 2020.
- [33] Y. Gao *et al.*, “Fault feature extraction method of rolling bearing based on spectral graph indices,” *J. Aerosp. Power*, vol. 33, no. 8, pp. 2033–2040, 2018.
- [34] M. Chen, D. Yu, and Y. Gao, “Fault diagnosis of rolling bearings based on graph spectrum amplitude entropy of visibility graph,” *J. Vib. Shock*, vol. 40, no. 4, pp. 23–29, 2021.

- [35] Y. Huangfu *et al.*, "Fault tracing of gear systems: An in-situ measurement-based transfer path analysis method," *J. Sound Vib.*, vol. 553, p. 117610, 2023.
- [36] M. Lucke, M. Chioua, and N. F. Thornhill, "From oscillatory to non-oscillatory disturbances: A comparative review of root cause analysis methods," *J. Process Control*, vol. 113, pp. 42–67, 2022.
- [37] F. Uddin, L. Dendenatufa, and A. Shahmaulud, "Consistent and effective nonlinearity index and its application on model predictive controller performance deterioration," *Ind. Eng. Chem. Res.*, vol. 57, no. 43, pp. 14596–606, 2018.
- [38] D. Ptapolcai, A. Omran, and B. Newman, "Aircraft stall phenomenon analysis using nonlinearity index theory," *Aerosp. Sci. Technol.*, vol. 68, pp. 288–298, 2017.
- [39] M. Haddar *et al.*, "Experimental evaluation for detecting bevel gear failure using univariate statistical control charts," *J. Braz. Soc. Mech. Sci. Eng.*, vol. 46, p. 233, 2024.
- [40] X. Wang *et al.*, "Identification of compound faults of rolling bearing based on envelope-cross-correlation and improved 1D-LBP," *Meas. Sci. Technol.*, vol. 36, no. 4, p. 046120, 2025.
- [41] M. Yu *et al.*, "Compound faults feature extraction of inter-shaft bearing based on vibration signal of whole aero-engine," *J. Vib. Control*, vol. 29, no. 1–2, pp. 51–64, 2023.
- [42] Y. Li *et al.*, "A novel fault identification method for rolling bearing," *J. Tribol. –Trans. ASME*, vol. 147, no. 7, p. 074302, 2025.
- [43] B. Cai *et al.*, "Passive detection of bolt joint looseness using flow-induced ambient noise," *Mech. Syst. Sig. Process.*, vol. 224, p. 112110, 2025.
- [44] B. Yang and H. Li, "A novel convolutional neural network based approach to predictions of process dynamic time delay sequences," *Chemometr. Intell. Lab. Syst.*, vol. 174, pp. 56–61, 2018.
- [45] A. Joshua and V. Sugumaran, "A lazy learning approach for condition monitoring of wind turbine blade using vibration signals and histogram features," *Measurement*, vol. 152, p. 107295, 2020.
- [46] C. Li *et al.*, "Noise-robust multi-view graph neural network for fault diagnosis of rotating machinery," *Mech. Syst. Sig. Process.*, vol. 224, p. 112025, 2025.
- [47] B. Lindner *et al.*, "Comparative analysis of Granger causality and transfer entropy to present a decision flow for the application of oscillation diagnosis," *J. Process Control*, vol. 79, pp. 72–84, 2019.
- [48] J. Chen *et al.*, "Natural gas production process fault localization based on direct transfer entropy with adaptive lag," *Meas. Sci. Technol.*, vol. 36, p. 016199, 2025.
- [49] R. Wang *et al.*, "An information transfer based novel framework for fault root cause tracing of complex electromechanical systems in the processing industry," *Mech. Syst. Sig. Process.*, vol. 101, pp. 121–139, 2018.
- [50] S. Huang *et al.*, "Fault propagation analysis for manufacturing process monitoring via a temporal Causal Modeling Algorithm," *IEEE Trans. Instrum. Meas.*, vol. 74, p. 3544714, 2025.
- [51] Q. Chen *et al.*, "Detection and root cause analysis of multiple plant-wide oscillations using multivariate nonlinear chirp mode decomposition and multivariate Granger causality," *Comput. Chem. Eng.*, vol. 147, p. 107231, 2021.
- [52] Y. Hu *et al.*, "Maneuver mode analysis and parametric modeling for hypersonic glide vehicles," *Aerosp. Sci. Technol.*, vol. 119, p. 107166, 2021.
- [53] C. Tian *et al.*, "Causal network construction based on convergent cross mapping (CCM) for alarm system root cause tracing of nonlinear industrial process," *IFAC-PapersOn-Line*, vol. 53, no. 2, pp. 13619–13624, 2020.
- [54] F. Cheng and J. Zhao, "Convergent cross mapping method in analysis of disturbances in chemical processes," *CIESC J.*, vol. 67, no. 12, pp. 5082–5088, 2016.
- [55] C. Tian and C. Zhao, "Single model-based analysis of relative causal changes for root-cause diagnosis in complex industrial processes," *Ind. Eng. Chem. Res.*, vol. 60, no. 34, pp. 12602–12613, 2021.
- [56] X. Ge and A. Lin, "Dynamic causality analysis using overlapped sliding windows based on the extended convergent cross-mapping," *Nonlinear Dyn.*, vol. 104, no. 2, pp. 1753–1765, 2021.
- [57] C. Wang *et al.*, "Expert experience and data-driven based hybrid fault diagnosis for high-speed wire rod finishing mills," *Comput. Model Eng. Sci.*, vol. 138, no. 2, pp. 1827–1847, 2024.
- [58] J. Chen *et al.*, "A convex optimization difference analysis model for intelligent fault detection and diagnosis of gear-boxes," *Mech. Syst. Sig. Process.*, vol. 251, p. 114207, 2025.
- [59] Z. Feng *et al.*, "Motor current AM-FM models and joint demodulation analysis for rotate vector reducer cycloid gear bearing fault diagnosis," *Mech. Syst. Sig. Process.*, vol. 246, p. 113901, 2026.
- [60] J. Xv *et al.*, "A fault features blind separation and extraction technique for weak multi-fault detection in rolling bearings," *Mech. Syst. Sig. Process.*, vol. 237, p. 113075, 2025.
- [61] Y. Zhang *et al.*, "Generator stator current signal analytical models and signature analysis for fault diagnosis of wind turbine planet bearings," *IEEE Trans. Instrum. Meas.*, vol. 74, p. 3520616, 2025.
- [62] D. Li *et al.*, "Signal frequency domain analysis and sensor fault diagnosis based on artificial intelligence," *Comput. Commun.*, vol. 160, pp. 71–80, 2020.
- [63] T. Lu *et al.*, "Gabor wavelet initialized sparse filtering: An interpretable network for bearing fault diagnosis," *IEEE Trans. Instrum. Meas.*, vol. 74, p. 3545610, 2025.
- [64] X. Zhao and B. Ye, "Periodic fluctuation extraction of the fault characteristic frequency of flexible thin-walled elliptical bearing using the waveform similarity extraction principle of Morlet wavelet," *Mech. Syst. Sig. Process.*, vol. 237, p. 113126, 2025.
- [65] P. Li, Y. Wang, and Z. Yang, "Risk assessment of maritime autonomous surface ships collisions using an FTA-FBN model," *Ocean Eng.*, vol. 39, no. 2, p. 118444, 2024.
- [66] J. Luo, Y. Chen, and G. Zhang, "Reliability analysis on spindle system of CNC grinding machine based on FTA-AHP," *Modular Mach. Tool Autom. Manuf. Technol.*, no. 8, pp. 181–184, 2018.
- [67] M. Long *et al.*, "Aerospace equipment fault diagnosis method based on fuzzy fault tree analysis and interpretable interval belief rule base," *Mathematics*, vol. 12, no. 23, p. 3693, 2024.
- [68] Z. Zhou *et al.*, "Fault tree analysis of an aircraft flap system based on a non-probability model," *J. Tsinghua Univ. (Sci. Technol.)*, vol. 61, no. 6, pp. 636–642, 2021.
- [69] X. Chen *et al.*, "Research on fault early warning and the diagnosis of machine tools based on energy fault tree analysis," *Proc. Inst. Mech. Eng. Part B: J. Eng. Manuf.*, vol. 233, no. 11, pp. 2147–2159, 2019.
- [70] X. Yin *et al.*, "Reliability assessment of multistate wind turbine gear train system based on T-S fuzzy fault tree and Bayesian network," *Mech. Ind.*, vol. 26, p. 17, 2025.
- [71] J. Guo, J. Qi, and X. Li, "Reliability analysis of EMUs braking systems with fuzzy dynamic fault tree," *China Mech. Eng.*, vol. 30, no. 13, pp. 1585–1589, 1599, 2019.

- [72] Q. Wang *et al.*, “A reliability analysis method for fuzzy multi-state system with common cause failure based on improved the weakest T-norm,” *J. Franklin Inst.*, vol. 361, no. 10, p. 106940, 2024.
- [73] S. Zong *et al.*, “Risk assessment of general FPSO supply system based on hybrid fuzzy fault tree and Bayesian network,” *Ocean Eng.*, vol. 311, no. 2, p. 118767, 2024.
- [74] G. Jiang *et al.*, “A new approach to fuzzy dynamic fault tree analysis using the weakest n-dimensional t-norm arithmetic,” *Chin. J. Aeronaut.*, vol. 31, no. 7, pp. 1506–1514, 2018.
- [75] M. Soleimani, S. Shahbeigi, and M. N. Esfahani, “A Bayesian network development methodology for fault analysis; case study of the automotive aftertreatment system,” *Mech. Syst. Sig. Process.*, vol. 216, p. 111459, 2024.
- [76] L. Xiao *et al.*, “A failure tracing method with hierarchical digraph and meta action for complex electromechanical systems,” *Qual. Reliab. Eng. Int.*, vol. 38, no. 5, pp. 2622–2648, 2022.
- [77] Y. Zhong *et al.*, “Failure mode and effects analysis method based on Fermatean fuzzy weighted Muirhead mean operator,” *Appl. Soft Comput.*, vol. 147, p. 110789, 2023.
- [78] G. Huang, L. Xiao, and G. Zhang, “Risk evaluation model for failure mode and effect analysis using intuitionistic fuzzy rough number approach,” *Soft Comput.*, vol. 25, no. 6, pp. 4875–4897, 2021.
- [79] R. R. A. Guste, K. A. A. Mariñas, and A. K. S. Ong, “Efficiency analysis of die attach machines using overall equipment effectiveness metrics and failure mode and effects analysis with an Ishikawa diagram,” *Machines*, vol. 12, no. 7, p. 467, 2024.
- [80] X. Ai *et al.*, “A concurrent fault diagnosis method for electric isolation valves in nuclear power plants based on rule-based reasoning and data-driven methods,” *Prog. Nucl. Energy*, vol. 171, p. 105190, 2024.
- [81] X. Sun and N. Wang, “Gas turbine fault diagnosis using intuitionistic fuzzy fault Petri nets,” *J. Intell. Fuzzy Syst.*, vol. 34, no. 6, pp. 3919–3927, 2018.
- [82] G. Niu *et al.*, “Fault detection isolation and diagnosis of multi-axle speed sensors for high-speed trains,” *Mech. Syst. Sig. Process.*, vol. 131, pp. 183–198, 2019.
- [83] H. Yu, W. Zhang, and W. Qu, “A mechanism-driven failure causality modeling approach for mechanical systems combining causal ordering theory and Ishikawa diagram,” *Sci. Rep.*, vol. 15, pp. 26777, 2025.
- [84] H. Yu, Q. Yuan, and W. Qu, “A multi-criteria conflict evidence fusion method with rapid consistency check and its application to fault diagnosis,” *J. Eng. Des.*, pp. 1–22, DOI: [10.1080/09544828.2026.2637052](https://doi.org/10.1080/09544828.2026.2637052).
- [85] D. Wang *et al.*, “An enhanced signed directed graph method for system reliability analysis,” *Ann. Nucl. Energy*, vol. 222, p. 111545, 2025.
- [86] Z. Ma *et al.*, “Expert knowledge modelling software design based on signed directed graph with the application for PWR fault diagnosis,” *Ann. Nucl. Energy*, vol. 196, p. 110206, 2024.
- [87] Y. Wang *et al.*, “Digital twin enhanced fault diagnosis reasoning for autoclave,” *J. Intell. Manuf.*, vol. 35, pp. 2913–2928, 2024.
- [88] Y. Liu *et al.*, “Enhanced graph-based fault diagnostic system for nuclear power plants,” *Nucl. Sci. Tech.*, vol. 30, p. 174, 2019.
- [89] C. Reinartz *et al.*, “Generation of signed directed graphs using functional models,” *IFAC-PapersOnLine*, vol. 52, no. 11, pp. 37–42, 2019.
- [90] M. Peng *et al.*, “An intelligent hybrid methodology of on-line system-level fault diagnosis for nuclear power plant,” *Nucl. Eng. Technol.*, vol. 50, no. 3, pp. 396–410, 2018.
- [91] S. Lin *et al.*, “Failure propagation analysis of high-speed train systems from the perspective of multi-layer stochastic flow network,” *Reliab. Eng. Syst. Saf.*, vol. 265, p. 111510, 2026.
- [92] D. Correia, D. N. Wilke, and S. Schmidt, “Sparse identification of conditional relationships in structural causal models (SICrSCM) for counterfactual inference,” *Probab. Eng. Mech.*, vol. 69, p. 103295, 2022.
- [93] A. Sharma *et al.*, “Knowledge-oriented methodologies for causal inference relations using fuzzy cognitive maps: A systematic review,” *Comput. Ind. Eng.*, vol. 171, p. 108500, 2022.